
Halia

Technical Specifications

Materials & Finishes

- For Halia office armchairs, 45d polyurethane injection sponge with special form is used on frame.

- Armchairs are upholstered with suitable fabric, soft genuine and artificial leather options as provided in material chart.

- HALIA EXCTV 5SB/C/HA/5TM has high armrest, high back with headrest. 5 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YSYK MNGR 5SB/C/HA/BM has high back, high armrest. Basic mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YSYK MNGR 5SB/C/HA/3TM has high back, high armrest. 3 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YSYK MNGR 5SB/C/HA/5TM has high back, high armrest. 5 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA KSYK MNGR 5SB/C/HA/BM has short back and high armrest. Basic mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA KSYK MNGR 5SB/C/HA/3TM has short back, high armrest. 3 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA KSYK MNGR 5SB/C/HA/5TM has short back, high armrest. 5 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YK OPRT 5SB/C/HA/BM has high armrest, mid back height. Basic mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YK OPRT 5SB/C/HA/3TM has high armrest and mid back height. 3 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YK OPRT 5SB/C/HA/5TM has high armrest and mid back height. 5 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

Technical Details

● HALIA AK VSTR 4SB/S/PP/BM has low armrest and wide seat. Basic mechanism, gas column with position-protector, 4-star chrome legs and floor-protector chrome feet are used.

● HALIA YK VSTR 4SB/S/PP/BM has high armrest, mid back height. Basic mechanism, position-protector, chrome gas column, 4-star chrome legs and floor-protector feet are used.

● HALIA AK VSTR CSL has low armrest and wide seat. With special form made of Ø13 mm (0.5 inch) transmission material, sled base legs are coated with chrome. Floor-protector feet are used.

● HALIA YK VSTR CSL has high armrest and mid back height. With special form made of Ø13 mm (0.5 inch) transmission material, sled base legs are coated with chrome. Floor-protector feet are used.

● HALIA YK VSTR CHL has high armrest and mid back height. Ø17 mm (0.7 inch) chrome pipe legs are used. Floor-protector feet are used.

● HALIA AK VSTR RB/PP/BM has low armrest and wide seat. Glossy chrome round base Ø545 mm (21.5 inch) are used; position-protector gas column and basic mechanism are used.

● HALIA AK VST WOO has lower armrest and wide seat. Solid wood legs have 3 different polishings: walnut, smoked oak or white oak.

● HALIA YK VST WOO has high armrest. Solid wood legs have 3 different polishings: walnut, smoked oak or white oak.

● HALIA KSYK VST WOO; has high armrest. Solid wood legs have 3 different polishings: walnut, smoked oak or white oak.

● HALIA HIGH BACK BERGER has high back, position-protector gas column, epoxy painted unica leg.

● HALIA LOW BACK BERGER has low back, position-protector gas column, epoxy painted unica leg.

Fastening Elements

Mechanism connections are made with M6 round head chrome plating bolts, whereas fastening elements are installed via M6 HB chrome bolts.

Technical Details



HALIA S0 EXCTV 5SB/C/HA/5TM
L: 745 mm / 29.3 inch
D: 709 mm / 27.9 inch
H: 1143-1228 mm / 45.0-48.3 inch



HALIA S0 YSYK MNGR 5SB/C/HA/5TM
L: 745 mm / 29.3 inch
D: 741 mm / 29.2 inch
H: 1143-1228 mm / 45.0-48.3 inch



HALIA S0 KSYK MNGR 5SB/C/HA/5TM
L: 745 mm / 29.3 inch
D: 741 mm / 27.9 inch
H: 978-1072 mm / 38.5-42.4 inch



HALIA S0 KSYK MNGR 5YA/T/YK/3TM
L: 745 mm / 29.3 inch
D: 741 mm / 27.9 inch
H: 978 mm / 29.1-32.4 inch



HALIA S0 YK OPR 5SB/C/HA/BM
L: 745 mm / 29.3 inch
D: 709 mm / 27.9 inch
H: 978 - 1072 mm / 38.5 - 42.4 inch




HALIA S0 YK OPRT 5SB/C/HA/3TM
L: 745 mm / 29.3 inch
D: 709 mm / 27.9 inch
H: 729-849 mm / 28.7-33.4 inch



HALIA S0 AK_VSTR 4SB/S/PP/BM
L: 725 mm / 28.5 inch
D: 634 mm / 25.0 inch
H: 736 mm / 29.0 inch



HALIA S0 YK VSTR 4SB/S/PP/BM
L: 615 mm / 24.2 inch
D: 612 mm / 24.1 inch
H: 761 mm / 30.0 inch



HALIA MEETING CHAIR
L: 664 mm / 26.1 inch
D: 611 mm / 24.1 inch
H: 825 mm / 32.5 inch



HALIA S0 AK_VSTR CSL
L: 725 mm / 28.5 inch
D: 629 mm / 24.8 inch
H: 745 mm / 29.3 inch



HALIA S0 YK_VSTR CSL
L: 632 mm / 24.9 inch
D: 608 mm / 23.9 inch
H: 776 mm / 30.6 inch



HALIA S0 YK_VSTR CHL
L: 617 mm / 24.3 inch
D: 599 mm / 23.6 inch
H: 779 mm / 30.7 inch

Technical Details



HALIA S0 AK VSTR RB/PP/BM

L: 725 mm / 28.5 inch
D: 634 mm / 25.3 inch
H: 744 mm / 29.3 inch



HALIA S0 AK VST WOOD

L: 773 mm / 30.4 inch
D: 646 mm / 25.4 inch
H: 737 mm / 29.0 inch



HALIA S0 YK VST WOOD

L: 663 mm / 26.1 inch
D: 611 mm / 24.1 inch
H: 772 mm / 30.4 inch



HALIA S0 KSYK_VST_WOOD

L: 663 mm / 26.1 inch
D: 672 mm / 26.5 inch
H: 972 mm / 38.3 inch



HALIA LOW BACK BERGERE

L: 728 mm / 28.7 inch
D: 767 mm / 30.2 inch
H: 775 mm / 30.5 inch



HALIA HIGH BACK BERGERE

L: 728 mm / 28.7 inch
D: 785 mm / 30.9 inch
H: 1120 mm / 44.1 inch



HALIA S0 LOW BACK FIXED CHAIR

L: 728 mm / 28.7 inch
D: 767 mm / 30.2 inch
H: 775 mm / 30.5 inch



HALIA S0 HIGH BACK FIXED BERGERE

L: 728 mm / 28.7 inch
D: 767 mm / 30.2 inch
H: 775 mm / 30.5 inch



HALIA S0 OTTOMAN POUF

L: 600 mm / 23.6 inch
D: 600 mm / 23.6 inch
H: 400 mm / 15.7 inch