
Dilim

Technical Specifications

Materials & Finishes

- Frame of all types are from metal and in combined way through the use of 20x20x1.2 mm (0.8x0.8x0.05 inch) and 15x15x1.2 mm (0.6x0.6x0.05 inch) box profiles. In order to fix the covers, laths are screwed onto the case. For the cases, anti-corrosive and anti-rust paint are used. In order to have a smooth surface, case is coated with 3 mm (0.1 inch) MDF.

- In order to have comfort for sitting, seats are covered with 5 cm (2 inch) 34d hr sponge on 2 cm (0.8 inch) 22 d gray sponge and backs are covered with 5 cm (2 inch) 34d hr sponge with bowing application on the seat and back through the use of 150 gr (0.3 lbs) fiber, and covered with 150 gr (0.3 lbs) fiber and fixed. For other external sections, 5 mm (2 inch) 32 d gray sponge is used and cnc sponge is used in order to have necessary form on the upper back sections of all the types. The fabric is sewed onto whitened case suitably according to divisions of cover modules.

- In order to upholster the cases, zip is used for the lower edges of the seat.

- Sofa cases in this group are manufactured as a fixed system.

Fastening elements

- 3 mm (0.1 inch) MDF is fixed onto the case with staple.

- Special upholstery adhesive is used for covering sponge onto the case.

- Plastic feets are connected to case with screws.

- For the connections of armrest modules clamps and connection elements are used.

Technical Details



ADS55

L: 550 mm / 21.6 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch




ADS105

L: 1050 mm / 41.3 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch




ADS140

L: 1400 mm / 55.1 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch



ADS175

L: 1750 mm / 68.9 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch



ADS210

L: 2100 mm / 82.7 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch



YADS175

L: 1750 mm / 68.9 inch
D: 728 mm / 28.7 inch
H: 807 mm / 31.8 inch



CT140

L: 1400 mm / 55.1 inch
D: 1404 mm / 55.3 inch
H: 766 mm / 30.2 inch



CT175

L: 1750 mm / 68.9 inch
D: 1404 mm / 55.3 inch
H: 766 mm / 30.2 inch



DK+ADS105

L: 1250 mm / 49.2 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch



ADS105+DK

L: 1250 mm / 49.2 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch



PK+ADS105


L: 1400 mm / 55.1 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch



ADS105+PK

L: 1400 mm / 55.1 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch

Technical Details




DK+ADS105+PK

L: 1600 mm / 63.0 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch




PK+ADS105+DK

L: 1600 mm / 63.0 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch




DK+ADS105+PK+ADS105+DK

L: 2850 mm / 112.2 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch



DK+ADS140+PK+ADS105+DK

L: 3200 mm / 126.0 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch




DK+ADS105+PK+ADS140+DK

L: 3200 mm / 126.0 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch




ADS140+KI243+ADS140

L: 2429 mm / 95.6 inch
D: 1600 mm / 63.0 inch
H: 767 mm / 30.2 inch




ADS175+KI243+ADS175

L: 2429 mm / 95.6 inch
D: 1950 mm / 76.8 inch
H: 767 mm / 30.2 inch




ADS210+KI243+ADS210

L: 2429 mm / 95.6 inch
D: 2300 mm / 90.6 inch
H: 767 mm / 30.2 inch




DK+ADS175+DK

L: 2150 mm / 84.6 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch




DK+ADS210+DK

L: 2500 mm / 98.4 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch



DK+ADS245+DK


L: 2850 mm / 112.2 inch
D: 758 mm / 29.8 inch
H: 766 mm / 30.2 inch



AS140


L: 1400 mm / 55.1 inch
D: 820 mm / 32.3 inch
H: 1200 mm / 47.2 inch

Technical Details




AS175

L: 1750 mm / 68.9 inch
D: 820 mm / 32.3 inch
H: 1200 mm / 47.2 inch




YYS175

L: 1750 mm / 68.9 inch
D: 790 mm / 31.1 inch
H: 1500 mm / 59.1 inch



YD02_YS140_YD02

L: 1520 mm / 59.8 inch
D: 820 mm / 32.3 inch
H: 1500 mm / 59.1 inch



YD02_YS175_YD02

L: 1870 mm / 73.6 inch
D: 820 mm / 32.3 inch
H: 1500 mm / 59.1 inch



RADS74

L: 745 mm / 29.3 inch
D: 786 mm / 30.9 inch
H: 766 mm / 30.2 inch



RADS203

L: 2036 mm / 80.2 inch
D: 961 mm / 37.8 inch
H: 766 mm / 30.2 inch



RADS143

L: 1439 mm / 56.7 inch
D: 854 mm / 33.6 inch
H: 766 mm / 30.2 inch



AGT199

L: 1994 mm / 78.5 inch
D: 925 mm / 36.4 inch
H: 810 mm / 31.9 inch



KSP72

L: 727 mm / 28.6 inch
D: 727 mm / 28.6 inch
H: 437 mm / 17.2 inch



KSP74

L: 747 mm / 29.4 inch
D: 747 mm / 29.4 inch
H: 585 mm / 23.0 inch



OPTIONAL METAL SHEET COFFEE TABLE

L: 358 mm / 14.1 inch
D: 250 mm / 9.8 inch
H: 100 mm / 3.9 inch